



A brand of BASF –  
We create chemistry

# 541-68

CV wax and silicone remover

**Application:**

**Remarks:** Do not use the cleaner on solvent-sensitive or thermoplastic substrates.

**Substrates**

- = Very well suited
- = well suited
- = suited in some cases

|       |                  |                 |           |                    |           |         |                      |                                      |                |              |         |      |               |                |
|-------|------------------|-----------------|-----------|--------------------|-----------|---------|----------------------|--------------------------------------|----------------|--------------|---------|------|---------------|----------------|
| Steel | Galvanized steel | Stainless steel | Aluminium | Anodized Aluminium | GRP / SMC | PP-EPDM | Glasurit CV - Primer | Glasurit CV - Primer Filler / Filler | Powder coating | Coil-coating | Plywood | Wood | OEM-Paintwork | Old paint work |
|-------|------------------|-----------------|-----------|--------------------|-----------|---------|----------------------|--------------------------------------|----------------|--------------|---------|------|---------------|----------------|

**Handling**



Soak a clean and dry lint-free cloth with 541-68. Clean small areas of approx. 0.5 m<sup>2</sup> of the surface to be painted and wipe these areas immediately afterwards with a dry cloth of the same quality. 541-68 should not dry on the surface being treated. Attention: Individual paint coats may suffer surface etching from the use of 541-68. In this case, ensure a good flash off of the substrate before going on with the repair so that no solvents will be trapped in the new paint system. In extreme cases, remove the affected paint coats before applying the new paint system.



**Mixing Ratio** 541-68 is ready for use.



|               |                     |                  |                          |                          |                 |
|---------------|---------------------|------------------|--------------------------|--------------------------|-----------------|
| <b>Drying</b> | <b>Overcoatable</b> | <b>Tack-free</b> | <b>Ready for masking</b> | <b>Ready to assemble</b> | <b>Sandable</b> |
|               | Min. Max.           |                  |                          |                          |                 |

**Safety advice:**

The products are suitable for professional use only.

It cannot be ruled out that this product contains particles < 0.1 µm.

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our products, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the products for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein are for general information purpose only; they may change without prior information and do not constitute the agreed contractual quality of the products (product specification). The latest version supersedes all previous versions. You can obtain the latest version from our website at [www.glasurit.com](http://www.glasurit.com) or directly from your sales partner. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed.

# 541-68

CV wax and silicone remover



A brand of BASF –  
We create chemistry

**Remark** Finishing as specified in the Glasurit refinishing processes.

---

Please note: For automotive refinish, repair instructions of vehicle manufacturers, in particular regarding installed sensor technology, must always be observed in addition to the processing instructions given within this document.

---

**Safety advice:**

The products are suitable for professional use only.

It cannot be ruled out that this product contains particles < 0.1 µm.

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our products, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the products for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein are for general information purpose only; they may change without prior information and do not constitute the agreed contractual quality of the products (product specification). The latest version supersedes all previous versions. You can obtain the latest version from our website at [www.glasurit.com](http://www.glasurit.com) or directly from your sales partner. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed.